

| | Type | L # | Hits | Search Text | DBs |
|----|------|-----|-------------|-------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------|
| 1 | BRS | L1 | 0 | (dummy unus\$4 (non adj eject\$3)) adj2 nozzle same (scant\$3 slant\$4 diagonal\$3 angle\$3) near3 (arrang\$4 position\$3) | US-PGPUB; USPAT; EPO; JPO; DERWENT |
| 2 | BRS | L2 | 775 | (dummy unus\$4 (non adj eject\$3)) adj2 nozzle end near4 (array row column) adj2 nozzle | US-PGPUB; USPAT; EPO; JPO; DERWENT |
| 3 | BRS | L3 | 0 | (dummy unus\$4 (non adj eject\$3)) adj2 nozzle same end near4 (array row column) adj2 nozzle | US-PGPUB; USPAT; EPO; JPO; DERWENT |
| 4 | BRS | L4 | 767 | (color adj2 filter) near2 (material liquid substance) and (electroluminescent EL) and (crystal adj display) | US-PGPUB; USPAT; EPO; JPO; DERWENT |
| 5 | BRS | L5 | 5150 | nozzle same (scant\$3 slant\$4 diagonal\$3 angle\$3) near3 (arrang\$4 position\$3) | US-PGPUB; USPAT; EPO; JPO; DERWENT |
| 6 | BRS | L8 | 0 | 6 and 7 | US-PGPUB; USPAT; EPO; JPO; DERWENT |
| 7 | BRS | L6 | 4 | 4 and 5 | US-PGPUB; USPAT; EPO; JPO; DERWENT |
| 8 | BRS | L7 | 5 | ink adj4 supply\$3 adj3 (port inlet pipe conduit) same thermal\$3 adj2 (expansion expand\$4 coefficient factor) with (higher differen\$4) | US-PGPUB; USPAT; EPO; JPO; DERWENT |
| 9 | BRS | L9 | 14863 23 | ink adj4 supply\$3 adj3 (port inlet pipe conduit) same thermal\$3 adj2 (expansion stress) with high\$2 (coefficient factor) | US-PGPUB; USPAT; EPO; JPO; DERWENT |
| 10 | BRS | L10 | 7 | ink adj4 supply\$3 adj3 (port inlet pipe conduit) same thermal\$3 adj2 (expansion stress) with high\$2 near3 (coefficient factor) | US-PGPUB; USPAT; EPO; JPO; DERWENT |
| 11 | BRS | L11 | 3158 | 347/40,71,85.ccls. | US-PGPUB; USPAT; EPO; JPO; DERWENT |
| 12 | BRS | L12 | 653 | 11 and (7 9 10) | US-PGPUB; USPAT; EPO; JPO; DERWENT |
| 13 | BRS | L13 | 3 | 11 and (7 10) | US-PGPUB; USPAT; EPO; JPO; DERWENT |
| 14 | BRS | L14 | 47 | 29/890.1 and 12 | US-PGPUB; USPAT; EPO; JPO; DERWENT |

| | Type | Hits | Search Text | DBs |
|-----|------|------|---------------------------------------------------------------------------------------------------------------------------------|------------------------|
| 93 | BRS | 0 | dummy adj2 (chip print\$4 head) same "not" adj eject\$4 | US-PGPUB; USPAT; USOCR |
| 94 | BRS | 8 | ink near2 (groove path channel\$4) adj3 (plate substrate) same heat\$4 near3 (sink dissipat\$4) | US-PGPUB; USPAT; USOCR |
| 95 | BRS | 5 | dummy adj2 (chip print\$4 head) same alternat\$4 adj3 (dispos\$4 plac\$4 arrang\$4) | US-PGPUB; USPAT; USOCR |
| 96 | BRS | 16 | 347/42.ccls. and dummy | US-PGPUB; USPAT; USOCR |
| 97 | BRS | 1459 | ("4463359").URPN. | USPAT |
| 98 | BRS | 5 | dummy adj2 (chip print\$4 head subunit die) same alternat\$4 adj3 (dispos\$4 plac\$4 arrang\$4) | US-PGPUB; USPAT; USOCR |
| 99 | BRS | 5 | ink near2 (groove path channel\$4) with (plate substrate) same heat\$4 near3 (sink dissipat\$4) with (adhesive bond\$4 seal\$3) | US-PGPUB; USPAT; USOCR |
| 100 | BRS | 2 | dummy adj2 (chip print\$4 head subunit die) and (nguyen adj thinh) | US-PGPUB; USPAT; USOCR |

| | Time Stamp | Comments | Error Definition | Errors | Ref # |
|-----|---------------------|----------|---------------------|--------|-------|
| 93 | 2004/11/15 08:20 | | | | S94 |
| 94 | 2004/11/15 08:36 | | | | S93 |
| 95 | 2004/11/15 09:24 | | | | S95 |
| 96 | 2004/11/15 08:24 | | | | S96 |
| 97 | 2004/11/15 08:32 | | | | S97 |
| 98 | 2004/11/15 08:48 | | | | S98 |
| 99 | 2004/11/15 08:38 | | | | S99 |
| 100 | 2004/11/15 08:49 | | | | S100 |